

المواصفات	العدد	اسم الجهاز
ELECTRICAL/OPTICAL Voltage : AC100-240V50/60Hz Light source : 600W LED Rated lifetime : ≥ 20000Hours CRI : High CRI Mode $Ra \geq 90$, $Ra \geq 70$(Optional),you can choose a high CRI source with $Ra \geq 95$ Zooming angle: 5°-45° FRAMING Framing : 4 groups and eight directions of ,blade, full crossover of each blade the framing system can rotate 90° and each blade can shape individually and cut off GOBO Static gobo wheel: 11 static gobos + open Rotating gobo wheel: 7 interchangeable gobos + open COLOR Color Wheel : 4 colors+open CTO : Independent CTO,color temperature can be linear adjusted(2800K-7800K) CMY : Independent CMY, with linear color change,limitless color mixing DYNAMIC EFFECTS Pan/tilt: $540^{\circ}/270^{\circ}$, 16-bit control and automatic return correction Prism : 3 facet prism Focus: High-precision glass lenses, electronic linear HD focus Iris: Linear 5-100%, with built-in macros Dimmer: 0-100% linear electronic dimming	20 20	Moving Head

Strobe: 0-20Hz, synchronized, pulse effects Frost Angle : 35°-65° CONTROL/PROGRAMMING Channel : 34CH Display : LCD display Software : Update software by DMX connection Control mode: DMX 512,RDM,Artnet(Optional),Auto-running ,Master/salve, Sound active, Built-in program OTHERS IP class: IP20 Net weight : 28KG Gross weight : 32KG Packing size : 81x50x43CM		
ELECTRICAL/OPTICAL Voltage : AC100-240V,50/60Hz Light source : 18pcs*15W RGBWA+UV 6in1 LED Color Temperature : 2700K-8000K Rated lifetime : 50000hours Zoom Angle : 25° Effect Color : RGBWA+UV linear color mixing, built-in macro function Strobe : Fast strobo 1-20Hz/second, with pulse strobo, synchronous asynchronous strobo effect Dimmer : 0-100% linear electronic adjustment CONTROL/PROGRAMMING Channel : 12CH	50 24	Led parckan

Display : LCD display+four buttons Protection: Temperature intelligent protection to ensure the service life of LED Software: Update software by DMX connection Control Mode : DMX 512,Auto-running ,Master/salve, Sound active OTHERS IP rate : IP20 Net weight : 2.5KG Gross weight : 3.5KG Product size : 25x25x25CM		
--	--	--

*الشروط الخاصة بالموصفات :

- 1- على المورد بأن يقوم بتركيب جميع الأجهزة .
- 2- يجب أن يكون العرض المقدم من قبل المورد يشمل جميع التوصيلات الكهربائية وكوابل الإشارة .
- 3- يجب أن يكون العرض المقدم من قبل المورد يشمل توفير صناديق لجميع الأجهزة .
- 4- على المورد بأن يقوم بتقديم كفالة على الأجهزة لا تقل عن سنتان .

ر . ق . التقني والفني

عالمية للتقنية

مؤيد ماضي

مؤيد ماضي

محمود المجالي