

## 2025 عطاء الأطراف الاصطناعية

الرقم	اسم المادة المستهلكات	وحدة القياس	Quantity	الملاحظات
1	Sealing resin	kg	100	
2	Lamination resin (80:20)	kg	200	
3	Resin color paste (Caucasian, skin color) tube of approximately (0.180) Kg	tube	100	عينة
4	Perlon stockinet, white (6)cm width	kg	30	عينة
5	Perlon stockinet, white (8)cm width	kg	70	عينة
6	Perlon stockinet, white (10)cm width	kg	200	عينة
7	Perlon stockinet, white (12)cm width	kg	250	عينة
8	Perlon stockinet, white (15)cm width	kg	250	عينة
9	Perlon stockinet, white (20)cm width	kg	200	عينة
10	Perlon stockinet, white (25)cm width	kg	200	عينة
11	Perlon stockinet, white (30)cm width	kg	100	عينة
12	Nylon stockinet, white (6)cm width	kg	10	عينة
13	Nylon stockinet, white (9)cm width	kg	15	عينة
14	Nylon stockinet, white (12)cm width	kg	10	عينة
15	Nylon stockinet, white (15)cm width	kg	70	عينة
16	Nylon stockinet, white (20)cm width	kg	70	عينة
17	Fiberglass stockinet, (8)cm width	kg	10	عينة
18	Fiberglass stockinet, (10)cm width	kg	30	عينة
19	Fiberglass stockinet, (12)cm width	kg	50	عينة
20	Fiberglass stockinet, (15)cm width	kg	70	عينة
21	Fiberglass stockinet, (20)cm width	kg	50	عينة
22	Fiberglass stockinet, (25)cm width	kg	70	عينة
23	Fiberglass stockinet, (30)cm width	kg	50	عينة
24	Carbon fiber mat, braided tube/sleeve 10cm	ROLL	5	عينة
25	Carbon fiber mat, braided tube/sleeve 15cm	ROLL	15	عينة
26	Carbon fiber mat, braided tube/sleeve 20cm	ROLL	10	عينة
27	Polypropylene, sheet size not less than (1000*1000)mm, thickness (3)mm	sheet	150	عينة
28	Polypropylene, sheet size not less than (1000*1000)mm, thickness (4)mm	sheet	500	عينة
29	Polypropylene, sheet size not less than (2000*1000)mm, thickness (5)mm	sheet	500	عينة
30	Polypropylene, sheet size not less than (2000*1000)mm, thickness (6)mm	sheet	100	عينة

31	Polyethylene, white colour, sheet size not less than (2000*1000)mm, thickness (3)mm	sheet	200	عينة
32	Polyethylene, white colour, sheet size not less than (2000*1000)mm, thickness (4)mm	sheet	500	عينة
33	Polyethylene, white colour, sheet size not less than (2000*1000)mm, thickness (5)mm	sheet	500	عينة
34	Polyethylene, white colour, sheet size not less than (2000*1000)mm, thickness (6)mm	sheet	150	عينة
35	Pedilin (polyethylene foam), skin color, sheet size not less than (1000*1000)mm, thickness (3)mm approximately	sheet	30	عينة
36	Pedilin (polyethylene foam), skin color, sheet size not less than (1000*1000)mm, thickness (5)mm approximately	sheet	100	عينة
37	Pedilin (polyethylene foam), skin color, sheet size not less than (1000*1000)mm, thickness (7)mm approximately	sheet	250	عينة
38	Plastazote, perforated, skin color, sheet size not less than (1000*1000)mm, thickness (3)mm	sheet	500	
39	Plastazote, perforated, skin color, sheet size not less than (1000*1000)mm, thickness (6)mm	sheet	200	
40	Akemi fast curing putty	kg	20	عينة
41	Speed rivet Nickle plated, head diameter (10)mm	pc	20000	عينة
42	Speed rivet Nickle plated, head diameter (12)mm	pc	20000	عينة
43	Roll rivet buckle, Nickle plated with fastening hole, inside diameter (16)mm	pc	3000	
44	Roll loop with plastic strap, rivet hole and roller, inside diameter (35)mm	pc	2500	عينة
45	Roll loop with plastic strap, rivet hole and roller, inside diameter (50)mm	pc	2000	عينة
46	Loop strap, width (30)mm	mtr	500	عينة
47	Loop strap, width (50)mm	mtr	500	عينة
48	Hook strap, width (30)mm	mtr	300	عينة
49	Hook strap, width (50)mm	mtr	300	عينة
50	Loop strap self-adhesive, , width (30)mm	mtr	200	عينة
51	Loop strap self-adhesive, , width (50)mm	mtr	200	عينة
52	Hook strap self-adhesive, , width (30)mm	mtr	500	عينة
53	Hook strap self-adhesive, width (50)mm	mtr	500	عينة
54	P.V.A sheeting foil, thickness (0.08)mm width approximately (100)cm	Mtr	600	عينة
55	Plastilin clay	باكيت	150	
56	Band saw blade for steel, ready welded length (3550)mm, width (10)mm	pc	60	كتالوج
57	Special twist drill Hsco diameter (3)mm	pc	300	عينة
58	Special twist drill Hsco diameter (4)mm	pc	1000	عينة
59	Special twist drill Hsco diameter (5)mm	pc	100	عينة

60	Special twist drill Hsco diameter (8)mm	pc	50	عينة
61	Surform blade half round, length approximately (250)mm	pc	500	عينة
62	Replacenet saw blade for cast cutter plaster saw (scraper) for multitool dimeter	pc	200	كتالوج
63	Segment saw blade for cast cutter plaster saw (scraper) for multitool	pc	100	كتالوج
64	Jig saw blades for plastic for electric jigsaw length 75mm tooth spacing 3mm	pc	200	كتالوج
65	Sanding cone rasp for router machine M16 with rubber roll length 60 mm	Pc	6	كتالوج
66	Sanding sleeve for sanding cone rasp	Pc	300	كتالوج
67	Anti bacterial thermolyne rigid 12mm	sheet	50	عينة
68	Anti bacterial thermolyne rigid 15mm	sheet	50	عينة
69	Anti bacterial thermolyne flexible 12mm	sheet	10	عينة
70	Dyna cast bandage (synthetic rigid bandage (5 inch)	Pc	300	
71	P.V.C casting roll width (15cm)	Roll	500	عينة
72	Talkum powder	kg	50	
73	Plasterin parting agent فازلين	kg	20	
74	Stainless steel loop 5cm	pc	500	عينة
75	Stainless steel loop 3,5cm	Pc	500	عينة
76	اشكال عدة (للجبانر بلاستيك تطبيع) تلوين ورق	رول	50	عينة
77	للجصين تنعيم منخل	mtr	70	عينة
78	Standing mirror for fitting room 120cm *200cm with frame	pc	5	كتالوج
	<u>الاطراف مواد</u>	وحدة القياس	Quantity	الملاحظات
79	Flat rubber valve with seat ring for hole diameter (24)mm and thumb flab	pc	300	عينة
80	Tube with seat ring for valve, inside tube diameter (24)mm	pc	300	عينة
81	Double stretch suspension sleeve for transiti bial prosthesis, size small	pc	150	عينة
82	Double stretch suspension sleeve for transiti bial prosthesis, size medium	pc	500	عينة
83	Double stretch suspension sleeve for transiti bial prosthesis, size large	pc	150	عينة
84	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (14) Rt	pc	10	عينة
85	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (14) Lt	pc	10	عينة
86	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (15) Rt	pc	10	عينة
87	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (15) Lt	pc	10	عينة
88	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (16) Rt	pc	10	عينة

89	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (16) Lt	pc	10	عينة
90	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (17) Rt	pc	10	عينة
91	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (17) Lt	pc	10	عينة
92	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (18) Rt	pc	10	عينة
93	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (18) Lt	pc	10	عينة
94	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (19) Rt	pc	10	عينة
95	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (19) Lt	pc	10	عينة
96	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (20) Rt	pc	10	عينة
97	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (20) Lt	pc	10	عينة
98	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (21) Rt	pc	20	عينة
99	Solid Ankle Cushioned Heel (SACH) foot for children heel height (10)mm size (21) Lt	pc	20	عينة
100	Single Axis foot with toes, heel height (10)mm size (22) Rt	pc	30	عينة
101	Single Axis foot with toes, heel height (10)mm size (22) Lt	pc	30	عينة
102	Single Axis foot with toes, heel height (10)mm size (23) Rt	pc	40	عينة
103	Single Axis foot with toes, heel height (10)mm size (23) Lt	pc	40	عينة
104	Single Axis foot with toes, heel height (10)mm size (24) Rt	pc	50	عينة
105	Single Axis foot with toes, heel height (10)mm size (24) Lt	pc	50	عينة
106	Single Axis foot with toes, heel height (10)mm size (25) Rt	pc	50	عينة
107	Single Axis foot with toes, heel height (10)mm size (25) Lt	pc	50	عينة
108	Single Axis foot with toes, heel height (10)mm size (26) Rt	pc	80	عينة
109	Single Axis foot with toes, heel height (10)mm size (26) Lt	pc	80	عينة
110	Single Axis foot with toes, heel height (10)mm size (27) Rt	pc	80	عينة
111	Single Axis foot with toes, heel height (10)mm size (27) Lt	pc	80	عينة
112	Single Axis foot with toes, heel height (10)mm size (28) Rt	pc	30	عينة
113	Single Axis foot with toes, heel height (10)mm size (28) Lt	pc	30	عينة
114	Single axis foot adapter with screw connection and with rubber bumper and lower bearing shell , steel, size (22-25)	pc	200	عينة
115	Single axis foot adapter with screw connection and with rubber bumper and lower bearing shell, steel, size (26-30)	pc	400	عينة
116	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (22) Rt	pc	40	عينة
117	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (22) Lt	pc	40	عينة
118	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (23) Rt	pc	40	عينة
119	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (23) Lt	pc	40	عينة
120	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (24) Rt	pc	70	عينة
121	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (24) Lt	pc	70	عينة
122	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (25) Rt	pc	80	عينة
123	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (25) Lt	pc	80	عينة
124	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (26) Rt	pc	70	عينة
125	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (26) Lt	pc	70	عينة
126	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (27) Rt	pc	60	عينة
127	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (27) Lt	pc	60	عينة
128	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (28) Rt	pc	30	عينة
129	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (28) Lt	pc	30	عينة

130	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (29) Rt	pc	10	عينة
131	Solid Ankle Cushioned Heel (SACH) foot with toes, height (18)mm size (29)Lt	pc	10	عينة
132	Solid Ankle Cushioned Heel (SACH) adapter, steel (M10)	pc	800	عينة
133	Tube adapter, stainless steel, diameter (30)mm, length not less than (400)mm	pc	700	كتالوج
134	Tube clamp adapter, stainless steel, diameter (30)mm	pc	700	كتالوج
135	Socket adapter stainless steel for transtibial prosthesis	pc	800	كتالوج
136	Socket adapter for transfemoral prosthesis, rotatable(receiver) stainless steel	pc	300	عينة
137	Socket adapter for transfemoral prosthesis, rotatable(pyramid) stainless steel	pc	200	عينة
138	Modular single axis knee joint with lock and extension assist	Pc	50	كتالوج
139	Modular single axis knee joint with constant friction , extension assist and protective sleeve	Pc	50	كتالوج
140	Modular knee joint polycentric (4)bar linkage with integrated extension assist	Pc	30	كتالوج
141	Modular joint for knee disarticulation , polycentric , (4)bar linkage with lock	Pc	20	كتالوج
142	Modular joint for knee disarticulation , polycentric , (4)bar linkage without lock	Pc	20	كتالوج
143	Silicon Liner for prostheses with distal connector size (18)cm	Pc	20	عينة
144	Silicon Liner for prostheses with distal connector size (20)cm	Pc	20	عينة
145	Silicon Liner for prostheses with distal connector size (22)cm	Pc	20	عينة
146	Silicon Liner for prostheses with distal connector size (23,5)cm	Pc	20	عينة
147	Silicon Liner for prostheses with distal connector size (25)cm	Pc	50	عينة
148	Silicon Liner for prostheses with distal connector size (26,5)cm	Pc	50	عينة
149	Silicon Liner for prostheses with distal connector size (28)cm	Pc	50	عينة
150	Silicon Liner for prostheses with distal connector size (30)cm	Pc	50	عينة
151	Silicon Liner for prostheses with distal connector size (32)cm	Pc	50	عينة
152	Silicon Liner for prostheses with distal connector size (34)cm	Pc	20	عينة
153	Silicon Liner for prostheses with distal connector size (36)cm	Pc	10	عينة
154	Silicon Liner for prostheses with distal connector size (38)cm	Pc	20	عينة
155	Silicon Liner for prostheses with distal connector size (40)cm	Pc	20	عينة

156	Silicon Liner for prostheses with distal connector size (42)cm	Pc	20	عينة
157	Silicon Liner for prostheses with distal connector size (46)cm	Pc	30	عينة
158	Silicon Liner for prostheses with distal connector size (48)cm	Pc	30	عينة
159	Shuttle lock with adjustment screw for AK	Pc	160	عينة
160	Shuttle lock with adjustment screw for BK	Pc	450	عينة
161	Cotton stump sock for transtibial stump, color white, length (60) cm	pc	200	عينة
162	Foam cover for transtibial prosthesis, made of PUR flexible foam, skin color with diameter (30)mm bore	pc	200	عينة
163	Foam cover for transfemoral prosthesis, made of PUR flexible foam, preshaped calf, (30°) knee flexion, skin color with step bore diameter (60)mm above and (32)mm below, Rt, (36)cm calf circumference	pc	50	كتالوج
164	Foam cover for transfemoral prosthesis, made of PUR flexible foam, preshaped calf, (30°) knee flexion, skin color with step bore diameter (60)mm above and (32)mm below, Lt, (36)cm calf circumference	pc	50	كتالوج
165	Foam cover for transfemoral prosthesis, made of PUR flexible foam, preshaped calf, (30°) knee flexion, skin color with step bore diameter (60)mm above and (32)mm below, Rt, (40)cm calf circumference	pc	50	كتالوج
166	Foam cover for transfemoral prosthesis, made of PUR flexible foam, preshaped calf, (30°) knee flexion, skin color with step bore diameter (60)mm above and (32)mm below, Lt, (40)cm calf circumference	pc	50	كتالوج
167	Foam cover for transfemoral prosthesis, made of PUR flexible foam, preshaped calf, (30°) knee flexion, skin color with step bore diameter (60)mm above and (32)mm below, Rt, (44)cm calf circumference	pc	50	كتالوج
168	Foam cover for transfemoral prosthesis, made of PUR flexible foam, preshaped calf, (30°) knee flexion, skin color with step bore diameter (60)mm above and (32)mm below, Lt, (44)cm calf circumference	pc	50	كتالوج
169	Cosmetic stocking for transtibial prosthesis, skin color size (1)	pair	100	عينة
170	Cosmetic stocking for transtibial prosthesis, skin color size (2)	pair	100	عينة
171	Cosmetic stocking for transtibial prosthesis, skin color size (3)	pair	100	عينة
172	Cosmetic stocking for transfemoral prosthesis, skin color size (0)	pair	50	عينة
173	Cosmetic stocking for transfemoral prosthesis, skin color size (1)	pair	50	عينة
174	Cosmetic stocking for transfemoral prosthesis, skin color size (2)	pair	50	عينة
175	Cosmetic stocking for transfemoral prosthesis, skin color size (3)	pair	50	عينة
176	Cosmetic stocking for transfemoral prosthesis, skin color size (4)	pair	50	عينة

177	Double adapter (reciever, reciever)size: 32 ,45 ,60 ,75 ,90 mm (20pc for each size)	pc	100	كتالوج
178	Vacuum machine (vacumm unit)	pc	2	كتالوج
179	Carbon Fiber foot With heel height approximately (10mm±5mm)with its shell and stockining size 25 left	pc	5	عينة
180	Carbon Fiber foot With heel height approximately (10mm±5mm)with its shell and stockining size 25 right	pc	5	عينة
181	Carbon Fiber foot With heel height approximately (10mm±5mm)with its shell and stockining size 26 left	pc	5	عينة
182	Carbon Fiber foot With heel height approximately (10mm±5mm)with its shell and stockining size 26 right	pc	5	عينة
183	Carbon Fiber foot With heel height approximately (10mm±5mm)with its shell and stockining size 27 left	pc	5	عينة
184	Carbon Fiber foot With heel height approximately (10mm±5mm)with its shell and stockining size 27 right	pc	5	عينة
185	Multi-flex prosthetic foot size 25 RT	pc	5	عينة
186	Multi-flex prosthetic foot size 25 LF	pc	5	عينة
187	Multi-flex prosthetic foot size 26 RT	pc	5	عينة
188	Multi-flex prosthetic foot size 26 LF	pc	5	عينة
189	Multi-flex prosthetic foot size 27 RT	pc	5	عينة
190	Multi-flex prosthetic foot size 27 LF	pc	5	عينة
191	Multi-flex Ankle clamp -30mm dia 125KG for multi-flex prosthetic foot	pc	30	عينة
192	Snubber Kits and vice versa for multi-flex prosthetic foot	pc	30	عينة
	<u>الاجهزة مواد</u>	القياس وحدة	Quantity	الملاحظات
193	Flat steel spring profile bar with rounded edges, thickness (2.5)mm, width 12 mm	mtr	200	عينة
194	System foot stirrup, stainless steel, size (2.5*145)mm	pc	50	كتالوج
195	System foot stirrup, stainless steel, size (3*165)mm	pc	100	كتالوج
196	System ankle joint, contoured, stainless steel, size (16)mm	pair	20	كتالوج
197	System ankle joint, contoured, stainless steel, size (20)mm	pair	80	كتالوج
198	System complete ankle joint , stainless steel, size (2), (390*18*3)mm	pair	150	كتالوج
199	System complete ankle joint, stainless steel, size (4), (300*15*3)mm	pair	150	كتالوج
200	System complete ankle joint, stainless steel, size (6), (180*12*2)mm	pair	100	كتالوج
201	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (150) klinzik	set	50	كتالوج

202	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (180)klinzik	set	50	كتالوج
203	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (200)klinzik	set	50	كتالوج
204	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (220)klinzik	set	30	كتالوج
205	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (240)klinzik	set	30	كتالوج
206	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (260)klinzik	set	30	كتالوج
207	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (280)klinzik	set	20	كتالوج
208	System complete ankle joint with bars with shoe stirrup, aluminum, shoe stirrup length (300)klinzik	set	20	كتالوج
209	Knee joint bars for children, Aluminum , with lock ring bar width (16)mm	pair	10	كتالوج
210	Knee joint bars for children , Aluminum, with lock ring bar width (14)mm	pair	10	كتالوج
211	Knee joint bars for children , Aluminum, with lock ring bar width (12)mm	pair	10	كتالوج
212	System Swiss lock knee joint, straight and contoured, stainless steel, size (16) Rt & Lf <b>(40 FOR EACH)</b>	pair	80	عينة
213	System Swiss lock knee joint, straight and contoured, stainless steel, size (20) Rt & Lf <b>(75 FOR EACH)</b>	pair	150	عينة
214	System ring lock knee joint, straight and contoured, stainless steel, size (16) Rt & Lf <b>(40 FOR EACH)</b>	pair	80	عينة
215	System ring lock knee joint, straight and contoured, stainless steel, size (20) Rt & Lf <b>(75 FOR EACH)</b>	pair	150	عينة
216	System adjustable Swiss lock knee joint stainless steel size (16) Rt & Lf <b>(10 FOR EACH)</b>	pair	20	عينة
217	System adjustable Swiss lock knee joint stainless steel size (20) Rt & Lf <b>(10 FOR EACH)</b>	pair	20	كتالوج
218	Side bar stainless steel size (16)	set	50	كتالوج
219	Side bar stainless steel size (20)	set	70	كتالوج
220	Ankle foot orthosis, prefabricated ,ready made by polypropylene well padded hold in at 90° degree position (open orthosis) for right limb size large and x-large. <b>( 30 for each size)</b>	pc	60	كتالوج
221	Ankle foot orthosis, prefabricated ,ready made by polypropylene well padded hold in at 90° degree position (open orthosis) for left limb size large and x-large. <b>( 30 for each size)</b>	pc	60	كتالوج

	الإحذية مواد	وحدة القياس	Quantity	الملاحظات
222	Dennis Brown splint, for TEV deformity, with detachable base	pc	500	عينة
223	Dynamic Dennis Brown	pc	50	عينة
224	Nails,2.5cm /steel / دبوس مسامير	kg	30	عينة
225	Nails 3cm /steel/ دبوس مسامير	kg	15	عينة
226	Nails, 5cm/lsteel دبوس مسامير	Kg	5	عينة
227	Nails 7cm/steel دبوس مسامير	Kg	5	عينة
228	Milking glue (white) حليب ايجو	Kg	35	عينة
229	Thread, (white + black), size (40)+ multicolor nylon White 30 Black 30 Multicolor 30	Pc	90	عينة
230	Needles for sewing machine, size (110)	Dozen	50	عينة
231	Genuine leather for making medical boot, grade one black	قدم	5000	عينة
232	Chamois leather	قدم	5000	عينة
233	Elastic webbing strap being with white strips width (25)mm	ROLL	50	عينة
234	Elastic webbing strap being with white strips width (50)mm	ROLL	50	عينة
235	Non elastic webbing strap, width (30)mm COTTON	ROLL	50	عينة
236	Non elastic webbing strap, width (50)mm COTTON	ROL	50	عينة
237	للنعل معالجة مادة / للنعل برايمر	Pc	4	عينة
238	Measuring cup(polypropylene) 50 (1000 pc) 200 (1000 pc) 400 (2000 pc)	Pc	4000	عينة
239	زيت ماكينة السنجر 131	لتر	2	عينة
240	بيت مكوك ماكينة سنجر 131	PC	2	عينة
241	مراية ماكينة خياطة درزة سنان ارنب ( تركيب على ماكينة سنجر 431 )	Pc	2	عينة
242	مشارط عريضة	pc	50	عينة
243	مشارط رفيعة	pc	50	عينة

244	شفرات عريضة	دزينة	200	عينة
245	شفرات رفيعة	دزينة	300	عينة
246	منتر أحذية عرض 15 مم	Mtr	30000	عينة
247	ورق زجاج لماكنة الاحذية (فريزر الاحذية) sun might R305 Z36	Pc	50	عينة
248	جلد مشمع صناعي	Mtr	100	عينة
249	علب آجو مع الفرشاة	Pc	20	عينة
250	مدورة ايجو فرشاة	PC	20	عينة
251	فورت ابيض 1 مل	لوح	600	عينة
252	آجو بلاستيك	جالون	120	عينة
253	آجو جامد	جالون	200	عينة
254	كبسون فتح 300	باكيت	40	عينة
255	اسود سم 90 مشمع احذية رباط كيس (100 حبة)	كيس	100	عينة
256	اسود سم 120 مشمع احذية رباط كيس (100 حبة)	كيس	10	عينة
257	سم 25 طول اسود لون احذية سحاب (كيس)	كيس	10	عينة
258	سم 25 طول بيج لون احذية سحاب (كيس)	كيس	5	عينة
259	121 رقم جالون تنر	جالون	150	
260	اسود لون (البطة) احذية كيوي	pc	100	عينة
261	مم 10 ربر كريب نعل	لوح	300	عينة
262	مم 5 ربر كريب نعل	لوح	600	عينة
263	كربون طبيعي نعل	قدم	300	عينة
264	appreto104 (40for each) ايطالي بلالون+ اسود ورنيش	قنينة	80	عينة
265	لون تغيير ورنيش	قنينة	5	عينة
266	مم 25 تكسون ضبان	لوح	500	عينة
267	سم 2 عرض ورق لاصق	pc	100	عينة

268	لاصق تب اسود 1.5 سم	pc	500	عينة
269	للتكعيب مم3 اسود لون طرحة نعل	لوح	50	عينة
270	ستانلس سم 2 صغير ابازيم	pc	3000	عينة
271	Suspension stud (مدبب جهتين وانثى ذكر طسات) size: 10mm .12mm <b>(20000 for each size)</b>	pc	40000	عينة
	Upper limb	وحدة القياس	Quantity	الملاحظات
272	Cosmetic inner hand for children, with Cosmetic glove size (6 ¾ ) Rt	pc	20	كتالوج + عينة
273	Cosmetic inner hand for children, with Cosmetic glove size (6 ¾ ) LF	pc	30	كتالوج + عينة
274	Cosmetic inner hand for Adolescent, with Cosmetic glove size (7 ¾ ) Rt	pc	20	كتالوج + عينة
275	Cosmetic inner hand for Adolescent, with Cosmetic glove size (7 ¾ ) LF	pc	30	كتالوج + عينة
276	Cosmetic inner hand for MEN, with Cosmetic glove size (7 ¾ ) LF	PC	50	كتالوج + عينة
277	Cosmetic inner hand for MEN, with Cosmetic glove size (7 ¾ ) RT	PC	30	كتالوج + عينة
278	Cosmetic inner hand for women, size (7 ¾ ) Rt with Cosmetic glove color (No.8), for women, size (7 ¾ ) Rt	pc	20	كتالوج + عينة
279	Cosmetic inner hand for women, size (7 ¾ ) Lf with Cosmetic glove color (No.8), for women, size (7 ¾ ) Lf	pc	30	كتالوج + عينة
280	Cosmetic inner hand for men size (8) Rt with Cosmetic glove color (No.8), for men, size (8) Rt	pc	30	كتالوج + عينة
281	Cosmetic inner hand for men size (8) Lf with Cosmetic glove color (No.8), for men, size (8) Lf	pc	50	كتالوج + عينة
282	Wrist connector of wood, for attaching the inner hand to the forearm shell, thread size (M12)	pc	100	كتالوج
283	Prosthetic gloves for upper limb cosmetic hand size (6 ¾) children RT	PC	10	كتالوج + عينة
284	Prosthetic gloves for upper limb cosmetic hand size (6 ¾) children LF	PC	10	كتالوج + عينة
285	Prosthetic gloves for upper limb cosmetic hand size (7¾) women RT	PC	10	كتالوج + عينة
286	Prosthetic gloves for upper limb cosmetic hand size (7¾) women LF	PC	10	كتالوج + عينة
287	Prosthetic gloves for upper limb cosmetic hand size (8) men RT	PC	10	كتالوج + عينة

288	Prosthetic gloves for upper limb cosmetic hand size (8) men LF	PC	10	كتالوج + عينة
289	Prosthetic gloves for upper limb cosmetic hand size (7¾) men RT	PC	10	كتالوج + عينة
290	Prosthetic gloves for upper limb cosmetic hand size (7¾) men LF	PC	10	كتالوج + عينة
291	Cosmetic gloves ottobock for system hand voluntary opening (8K22=RT 6 ¾)	PC	6	كتالوج + عينة
292	Cosmetic gloves ottobock for system hand voluntary opening (8K22=LF 6 ¾)	PC	5	كتالوج + عينة
293	Cosmetic gloves ottobock for system hand voluntary opening (8K22=RT 7 ¾)	PC	6	كتالوج + عينة
294	Cosmetic for gloves ottobock system hand voluntary opening (8K22=LF 7 ¾)	PC	12	كتالوج + عينة
295	Cosmetic gloves ottobock for system hand voluntary opening (8K22=RT 8)	PC	8	كتالوج + عينة
296	Cosmetic gloves ottobock for system hand voluntary opening (8K22=LF 8)	PC	7	كتالوج + عينة
297	Shoulder joint RT (movo shoulder swing)	pc	4	كتالوج + عينة
298	Shoulder joint LF (movo shoulder swing)	pc	4	كتالوج + عينة
299	Upper limb cosmetic glove +wrist unit + inner hand for Infant RT	pc	15	كتالوج + عينة
300	Upper limb cosmetic glove +wrist unit + inner hand for Infant LF	pc	15	كتالوج + عينة
301	Elbow set up rotatable with lock for children lamination ring diameter (40mm)	pc	20	كتالوج + عينة
302	Elbow set up rotatable with lock for adult lamination ring diameter (50mm)	pc	50	كتالوج + عينة
	لإفضلا دائما	القياس وحدة	Quantity	الملاحظات
			y	
303	Tube adapter Aluminum	pc	30	كتالوج
304	Tube adapter clamp Aluminum	pc	30	كتالوج
305	SACH foot adapter Aluminum M8	pc	130	كتالوج
306	Below knee socket adapter aluminum	pc	30	كتالوج
307	Above Knee socket adapter Aluminum	pc	30	كتالوج
308	Knee Joint with adjustable extension assist mechanism (aluminum)	pc	5	كتالوج
309	Lock knee joint modular with lock (aluminum)	pc	5	كتالوج
310	Gritti Knee disarticulation children (aluminum)	pc	5	كتالوج
311	Cover foam for children modular transtibial prosthesis 22mm diameter,PUR Flexible foam approximately 35mm Right .	pc	10	عينة
312	Cover foam for children modular transtibial prosthesis 22mm diameter,PUR Flexible foam approximately 35mm left .	pc	10	عينة

313	Cover foam for children transfemoral , PUR Flexible foam diameter 22mm length approximately 70cm Right .	pc	5	كتالوج
314	Cover foam for children transfemoral , PUR Flexible foam diameter 22mm length approximately 70cm left .	pc	5	كتالوج
	مواد العلاج الوظيفي	وحدة القياس	Quantity	الملاحظات
315	Pedilon (low temperature polyster) heated in water bath 3.2mm color beige ( مثقب غير )	sheet	50	عينة
316	Pedilon (low temperature polyster) heated in water bath 3.2mm color blue ( مثقب غير )	sheet	10	عينة
317	Pedilon (low temperature polyster) heated in water bath 3.2mm color pink ( مثقب غير )	sheet	10	عينة
318	Pedilon (low temperature polyster) heated in water bath 3.2mm color black ( مثقب غير )	sheet	10	عينة
319	Pedilon (low temperature polyster) heated in water bath 3.2mm color purple ( مثقب غير )	sheet	10	عينة
320	Pedilon (low temperature polyster) heated in water bath 3.2mm color beige ( ثقب مثقب متباعدة )	sheet	10	عينة
321	Pedilon (low temperature polyster) heated in water bath 3.2mm color blue ( ثقب مثقب متباعدة )	sheet	10	عينة
322	Pedilon (low temperature polyster) heated in water bath 3.2mm color purple ( ثقب مثقب متباعدة )	sheet	10	عينة
323	Pedilon (low temperature polyster) heated in water bath 2.5mm color beige ( مثقب غير )	sheet	20	عينة
324	Pedilon (low temperature polyster) heated in water bath 2.5mm color blue ( مثقب غير )	sheet	10	عينة
325	Pedilon (low temperature polyster) heated in water bath 2.5mm color purple ( مثقب غير )	sheet	10	عينة
326	Pedilon (low temperature polyster) heated in water bath 1.6mm color beige ( مثقب غير )	sheet	20	عينة
327	Pedilon (low temperature polyster) heated in water bath 2.5mm color beige ( ثقب مثقب متباعدة )	sheet	10	عينة
328	Pedilon (low temperature polyster) heated in water bath 2.5mm color blue ( ثقب مثقب متباعدة )	sheet	6	عينة
329	Pedilon (low temperature polyster) heated in water bat 2.5mm color purple ( ثقب مثقب متباعدة )	sheet	4	عينة

330	anti -swan neck deformity splint to prevent hyper extension of the PIP joint – ready made – polypropylene.	pc	100	كتالوج
331	Radial nerve injury splint (dynamic) for right upper limb prefabricated (Nylon and unbroken loop exterior with plastic stay closed cell foam badding elastic finger lifts and hook and loop fasteners . all components are latex and free.	pc	30	كتالوج
332	Radial nerve injury splint (dynamic) for left upper limb prefabricated (Nylon and unbroken loop exterior with plastic stay closed cell foam badding elastic finger lifts and hook and loop fasteners . all components are latex and free.	pc	30	كتالوج

