

| WHEEL LOADER                                                                |                        |
|-----------------------------------------------------------------------------|------------------------|
| Requirements of Technical Specifications                                    | Offered specifications |
| Model:                                                                      |                        |
| Country of origin:                                                          |                        |
| Manufacturer: current year or above                                         |                        |
| Delivery time: should be mentioned 120                                      |                        |
| General                                                                     |                        |
| Operating base weight - not less than 13000 kg with standard counter weight |                        |
| Capacity of bucket not less than 2.3 m3                                     |                        |
| General purpose bucket with teeth                                           |                        |
| The bucket should be equipped with replaceable wear edges                   |                        |
| Dump height at 45 :not less than (2.5m )                                    |                        |
| Electrical system                                                           |                        |
| 24 V-DC- Starter, alternator, and batteries                                 |                        |
| Front, rear, night operation, and cab lights                                |                        |
| Horn and back-up alarm                                                      |                        |
| Beacon                                                                      |                        |
| Engine                                                                      |                        |
| Diesel engine                                                               |                        |
| Power output not less than 150 hp                                           |                        |
| Torque, hp and SFC diagrams should be included                              |                        |
| Transmission                                                                |                        |
| Full power shift or auto shift or hydrostatic speeds: should be mentioned   |                        |
| Steering                                                                    |                        |
| Full power hydraulic steering system or hydrostatic.                        |                        |
| Brakes                                                                      |                        |
| Service brake (wet, disc)                                                   |                        |

|                                                                                               |  |
|-----------------------------------------------------------------------------------------------|--|
| <b>Tires</b>                                                                                  |  |
| should be mentioned                                                                           |  |
| <b>Drive compartment</b>                                                                      |  |
| (ROPS) + (FOPS) cabin                                                                         |  |
| Safety glass                                                                                  |  |
| Front wipers, washers                                                                         |  |
| Adjustable driver's seat with seatbelt                                                        |  |
| Lockable door                                                                                 |  |
| Air condition, heater, defroster                                                              |  |
| Automatic Lubrication system                                                                  |  |
| Standard instrument panel inside cab with all gauges and meters (metric system shall be used) |  |
| All the important guards for (engine, transmission, radiator, etc...)                         |  |
| <b>ACCESSORIES</b>                                                                            |  |
| Operating, Maintenance, Spare Parts and Workshop Manuals for each unit                        |  |
| Manufacturer's standard tool set includes wheel-changing tools with hydraulic jack            |  |
| Fire Extinguisher                                                                             |  |
| Two spare sets of bucket wear plates including complete bolts                                 |  |
| The fuel tank must have a designated location on the outside for installing a tag chip.       |  |
| <b>PAINTING</b>                                                                               |  |
| As per manufacturer recommendation                                                            |  |
| Painting color : as per DVLD demands                                                          |  |
| <b>GENERAL MANDATORY REQUIREMENTS</b>                                                         |  |

|                                                                                                                                                            |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1. Vehicles must be brand new and unused, having most recent updates and modifications, manufactured not earlier than current year                         |  |
| 2. Vehicles shall have all standard accessories, attachments and features                                                                                  |  |
| 3. Vehicles and equipment installed in vehicles shall be made by well- known reputable manufacturers                                                       |  |
| 4. Specification of vehicles shall be in compliance with Jordan traffic regulations, road and transport regulations and conditions                         |  |
| 5. Supplier shall guarantee supply of spare parts during the life-time of the vehicles                                                                     |  |
| <b>6. Warranty</b>                                                                                                                                         |  |
| - Warranty against any defect caused by manufacturing reasons for all the vehicle including chassis and all other components - at least 2 years            |  |
| - Warranty for the tires, batteries - as per manufacturers.( and not less than 1 year )                                                                    |  |
| <b>7. Training</b>                                                                                                                                         |  |
| -Duration -1 week                                                                                                                                          |  |
| -Training should cover theoretical and practical issues with special attention to practical issues                                                         |  |
| - Training shall be accompanied by training materials, one complete set — for each trainee                                                                 |  |
| - Training and training materials shall be in Arabic or with translation into Arabic.                                                                      |  |
| - Upon completion of training courses, the trainees' knowledge and skills will be tested, and certificates will be provided to those who passed the tests. |  |
| <b>8. Maintenance</b>                                                                                                                                      |  |
| Oils, filters and labor wages for 2 years                                                                                                                  |  |

|                                                                                                                                     |  |
|-------------------------------------------------------------------------------------------------------------------------------------|--|
| <p>- Maintenance services shall be provided by the local service center authorized for maintenance and repair by manufacturers.</p> |  |
| <p>-The maintenance services shall be provided at working locations</p>                                                             |  |