

وزارة التربية والتعليم

إدارة اللوازم والتزويد

مديرية العطاءات

قسم العطاءات المحلية للتجهيزات

دعوة العطاء رقم (00-2025001535)

اسم العطاء : اجهزة ومعدات مخبرية للمدارس - مختبرات علمية

ر.ق العطاءات المحلية للتجهيزات

أشرف الجعاوين

منسق العطاء

اوس العواودة

فهرس المحتويات

رقم البند	البند	أرقام الصفحات
١	الشروط الخاصة	٥-٣
٢	مواد وكميات العطاء	٧-٦
٣	المواصفات الفنية	٢٧-٨
٤	نماذج الكفالات ونموذج تقديم العرض - تأمين دخول عطاء - تأمين حسن التنفيذ - نموذج تقديم العرض	٣٠-٢٨

البند الأول : الشروط الخاصة

- ١ . تطبق أحكام نظام المشتريات الحكومية رقم (٨) لسنة (٢٠٢٢)م وتعديلاته والتعليمات الصادرة بموجبه.
- ٢ . تقدم العروض (الالكترونياً) على موقع الشراء الحكومي الالكتروني (<http://joneps.gov.jo>).
- ٣ . يعتبر تقديم العرض من قبل المناقص بأنه موافق على جميع ما ورد بهذه الوثائق .
- ٤ . تقدم الأسعار بالدينار الأردني شاملة للرسوم الجمركية والضريبة العامة على المبيعات.
- ٥ . يجب ان يكون المناقص من المسجلين بنظام الفوترة الوطني الالكتروني .
- ٦ . على المناقص أرفاق شهادة المنشأ الأردني بعرض المقدم (للمنتج المحلي) للحصول على الأفضلية السعريّة للصناعات المحلية .
- ٧ . يتم إيداع تأمين الدخول فقط في وزارة التربية والتعليم /مبنى إدارة اللوازم والتزويد قسم العطاءات المحلية وتكون باسم وزير التربية والتعليم بالإضافة لوظيفته بمغلف مختوم ومغلق مكتوب عليه اسم ورقم العملية الشرائية ليتم وضعها في صندوق لجنة الشراء (المختصة) على ان لا تتجاوز الموعد المحدد على موقع الشراء الالكتروني ويكون على شكل كفالة بنكية - وفقاً للنموذج المرفق - او شيك مصدق صادر من احد المؤسسات المالية المرخصة والعاملة في المملكة (بنسبة ٣%) من قيمة اللوازم الواردة بعرضه وتكون مدة سريان مفعول الكفالة والعرض لمدة لا تقل عن ٩٠ يوماً من تاريخ إغلاق العطاء وبخلاف ذلك لن يقبل العرض.
- ٨ . على المناقص إعلام الوزارة خطياً بعدم موافقته على تمديد فترة صلاحية عرضه قبل انتهاء مدة صلاحية عرضه ب (١٠) عشرة أيام على الأقل (ليتم إعادة تأمين دخول العطاء له)، وبخلاف ذلك يعتبر المناقص موافق على تمديد صلاحية عرضه.
- ٩ . يجب أن تكون المواصفات الواردة في عرض المناقص واضحة ومبوبة بشكل جيد بحيث تكون الوحدة والكمية والسعر الإفرادي والإجمالي وفترة التسليم وبلد المنشأ واسم الشركة الصانعة مبيّنة إزاء كل مادة.
- ١٠ . يجب ان تكون الاجهزة المقدمة حديثة
- ١١ . مدة التوريد : ٦٠ يوم من تاريخ توقيع أمر الشراء .
- ١٢ . مكان التوريد : الاستلام في مستودع الاجهزة المخبرية /ماركا
- ١٣ . يجب تقديم خيار واحد فقط للمادة ويستبعد العرض الذي يقدم خيارات .

١٤. على الشركة المتقدمة تعبئة Compliance Sheet بحيث يتم إدراج كلمة مطابق أو غير مطابق لكل بند (سطر) من بنود المواصفات والشروط الخاصة. وسوف يعتبر عدم الإدراج (فراغ) على أنه غير مطابق لبند المواصفة أو الشرط الخاص .
١٥. سيتم إحالة مواد العطاء على أساس بند (LOT).
١٦. يجب ذكر السعر الافرادي والإجمالي لكل مادة.
١٧. طريقة الدفع: ١٠٠% بعد الاستلام الفني النهائي .
١٨. مع مراعاة ما ورد في المادة (٨٩) من نظام المشتريات الحكومية رقم (٨) لسنة ٢٠٢٢ وتعديلاته، إذا تأخر المتعهد في تنفيذ ما التزم به في الموعد المحدد بالعقد تفرض غرامة تأخير على النحو التالي:
- أ. ما نسبته (٠,٠٠١) واحد بالألف عن كل يوم تأخير من قيمة اللوازم التي تاخر المتعهد في توريدها عن المدة (من ١ - ٤٥) يوم.
- ب. ما نسبته (٠,٠٠٢) اثنان بالألف عن كل يوم تأخير من قيمة اللوازم التي تاخر المتعهد في توريدها عن المدة (من ٤٦ - ٦٠) يوم.
- ت. ما نسبته (٠,٠٠٣) ثلاثة بالألف عن كل يوم تأخير من قيمة اللوازم التي تاخر المتعهد في توريدها عن المدة (من ٦١ يوم فاكثراً) ، على أن لا تزيد قيمة الغرامة عن ١٥% من قيمة العقد.
١٩. يجوز للمناقص أن يطلب من وزارة التربية والتعليم إيضاحاً عن وثائق الشراء وحسب ما جاء في نظام المشتريات الحكومية رقم (٨) لسنة ٢٠٢٢ م ويقدم الكترونياً على موقع الشراء الالكتروني حسب الموعد المحدد على الموقع ولا يقبل الاستفسار الورقي
٢٠. يجب أن تكون اللوازم المشتراة جديدة (١٠٠%) ، وخالية من أية عيوب في الصنع أو في المادة .
٢١. على المناقص ان يرفق بعرضه الوثائق التي تثبت ما يلي:-
- أ- الأهلية القانونية للدخول في العطاء وتتضمن تقديم ما يلي:
- (١) شهادة سجل تجاري من وزارة الصناعة والتجارة سارية المفعول.
- (٢) رخصة مهنة سارية المفعول .
- (٣) براءة الذمة من دائرة ضريبة الدخل والمبيعات .
٢٢. يحق لوزارة التربية والتعليم وفق الأحكام نظام المشتريات الحكومية والتعليمات الصادرة بموجبه إلغاء عملية الشراء وحسب ما جاء بالمادة رقم (١٧) من نظام المشتريات الحكومية رقم (٨) لسنة ٢٠٢٢ م.
٢٣. على المناقص الذي احيل عليه العطاء وقبل توقيع أمر الشراء دفع الرسوم المقررة بموجب التشريعات وتقديم تأمين حسن التنفيذ خلال المدة التي تحدد في كتاب التبليغ الذي يرسل اليه لاستكمال إجراءات التعاقد الخاص بقرار الإحالة .

٢٤. في حال مخالفة المتعهد لأي بند من بنود العقد المبرم معه فعلى لجنة الشراء اتخاذ الاجراءات اللازمة والواردة في وثائق الشراء وفي نظام المشتريات الحكومية رقم (٨) لسنة (٢٠٢٢) والتعليمات الصادرة بموجبه .

٢٥. للجنة الشراء الحق بإنهاء عقد الشراء المبرم مع المتعهد في أي من الحالات التالية: -
أ - تقصير المتعهد في إنجاز العقد. ب - ارتكاب المتعهد تصرفات تتسم بالاحتيال أو التلاعب أو الرشوة.
ج - إعاقر المتعهد أو إفلاسه.

٢٦. تمنح الصناعات الوطنية أفضليه سعريه بنسبة (١٥ %) لغايات " الاحالة فقط " وحسب ما جاء بكتاب رئاسة الوزراء ، شريطة ان تفي هذه المنتجات بالمتطلبات اللازمة للإحالة (ان تكون مطابقة للمواصفات والشروط المطلوبة).

٢٧. تقدم الضمانات حسب ما جاء بنظام المشتريات رقم (٨) ٢٠٢٢ م وتعديلاته :
أ (تأمين حسن تنفيذ للعطاء المحال عليه على شكل كفالة بنكية - وفقاً للنموذج المرفق -او شيك مصدق صادر من احد البنوك او المؤسسات المالية المرخصة والعاملة في المملكة بمبلغ لا يقل عن ١٠% عشرة بالمائة من القيمة الاجمالية للإحالة (قبل توقيعه على امر الشراء).

٢٨. يلتزم المناقص باستعمال نماذج الضمانات / الكفالات المعتمدة والمبينة ادناه :-
أ-نموذج تأمين كفالة دخول العطاء . ب-نموذج تأمين كفالة حُسن تنفيذ .

البند الثاني: مواد وكميات العطاء

جدول رقم (١)

جدول مواد العطاء رقم ()

صفحة (١) من (١)

رقم المادة	اسم المادة	الكمية	السعر الافرادي	الكلفة الإجمالية	بلد المنشأ
١ -	ملف لوبي	١٠			
٢ -	انايبب الطيف	٥			
٣ -	انبوب زجاجي (حرف U)	١٢			
٤ -	سلك (بلاطين ،نحاس)	١٢			
٥ -	مقاومة متغيرة	١٣			
٦ -	جفنة (صحن تبخير)	١٠			
٧ -	جلفانوميتر	١١			
٨ -	الكرة والحلقة	١٢			
٩ -	فلوتوميتر	١٣			
١٠ -	قضيب (زجاج ، حديد،خشب،المنيوم،نحاس)	١١			
١١ -	لهيب بنسن	١٩			
١٢ -	مجموعة مصابيح مع قواعدها	١١			
١٣ -	نظام بكرات	٧			
١٤ -	مغناطيس على شكل C	١٧			
١٥ -	مغناطيس حدوة فرس	٢٠			

٢١	مغناطيس على شكل U	١٦ -
٢١	مغناطيس مستقيم	١٧ -
١٥	ملف تيار حثي(رومكورف)	١٨ -
٧	مولد فان دي غراف	١٩ -
١١	ميزان حرارة جاف ورطب	٢٠ -
١٩	ميزان حرارة (كحولي مئوي)	٢١ -
١٣	نابض توضيحي	٢٢ -
١٢	أميتر	٢٣ -
١١	مجموعة الصخور الرئيسية (النارية ،الرسوبية ،المتحولة)	٢٤ -
١١	سهم الرياح الدوار	٢٥ -
١١	لوح حكاكة	٢٦ -
١٢	مجموعة المعادن (اللون، الحكاكة ،الانفصام،البرق)	٢٧ -
١٦	نموذج كرة ارضية	٢٨ -
١١	نموذج يوضح الصفائح التكتونية	٢٩ -
١١	نموذج يوضح انطقة الارض	٣٠ -
١٣	انظمة الصدوع المختلفة (العادي،العكسي،الجانبى)	٣١ -

المجموع

إرشادات :- * لا يستعمل حبر الطمس

* تعتمد الأسعار في هذا النموذج * يجب ذكر المجموع الكلي للعرض * يعزز أي تصويب بتوقيع المناقص
اسم المناقص : الخاتم والتوقيع:

LOT (1) Physics

Item No:	Item Name:	Qty:	Notes
1.1	Solenoid coil		
Component & Specification			
No. Of Turns	More than (20) turns, the axle long at Max 20cm for the coil		
Coil Dia.	About (70) mm approx.		
Base	Isolated plastic plate fixed in center of coil as a sheet passing through the axle of the coil. And the dimension (long $\times$ width $\times$ height) (25 $\times$ 15 $\times$ 2) cm approx. for plate		
Wire Dia.	(1.5-2)mm approx.		
Socket	Pair of (4) mm.		
In put	Suitable to experimental work with coil		

Item No:	1.2	Item Name:	Spectrum Tubes	Qty:		Notes
Component & Specification						
Set of	(7) Tubes					
Shape	Straight form. With side electrodes.					
Dimensions of tube	Length (200) Diameter (6,5) mm (50) mm. fine capillary in the middle.					
Filled with gas or vapor	- Oxygen, Neon, Helium, Nitrogen, Argon, Hydrogen and Mercury (At low pressure).					
	Installation, operation, and training at schools of the tender.					

Qty:

Item No: 1.3

Item Name:

Test Tube (U shape)

Notes

Component & Specification

Set	Set of different sizes	
Packing	Pack quantity : (100) tube	
Material	Transparent Borosilicate Glass	
Capacity	- (10)ml - (25)ml	
Dimensions	- Length (125)mm apprx.	
Wall thickness	(1.8) mm	
Notes	- Heavy wall. - Strong resistance to heat and chemicals - Round or flat bottom with rim.	

Qty:

Item No: 1.4

Item Name:

wire (platinum, copper)

notes

Component & Specification

Set of	(2) Different wires	
Dimension of plate	Length (100 - 200) mm	
wire material	- Pure copper, CAS. NO. 7440-50-8 - Pure platinum, CAS. NO. 7440-06-4	

Item No: 1.5

Item Name:

Rheostat

Qty:

Component & Specification

Component & Specification		Notes
Type	Tubular, with sliding contact	
Resistance	$\geq (100) \Omega$	
Max. Current	One Ampere Approx.	
Sockets	(3) at least	

Item No:

1.6

Item Name:

Evaporating Dish (vol. 200ml)

Qty:

Component & Specification

Component & Specification		
Packing	Pack of (10) in thick carton box	
Material and description	- made from Porcelain with spout. - Round bottom. - Glazed on the inside and the outer rim to the spout	
Dimensions	- External diameter (90 - 100) mm, - volume capacity (150) ml	

Item No:

1.7

Item Name:

Galvanometer

Qty:

Component & Specification

Component & Specification		Notes
Type	Moving coil	
Ranges	(50-0-50) μA	
Scale	Not less than (80) mm	
Subdivision	About (2%) of the full scale	
Sockets	Pair Sockets 4mm	

Item No:

1.8

Item Name:

Ball and Ring

Qty:

Component & Specification

Component & Specification		Notes
Parts	Captive brass ball.	
	Brass ring.	
	Brass.	
	Min. (20) mm.	
	Ball Dia.	
Complete with	Chain.	
	Heat insulated handle.	

Item No: 1.9 Item Name: Voltmeter (DC) Qty:

Component & Specification		Notes
Ranges	Three ranges min. (3), (30), (300) V.	
Scale	Not less than (50) mm	
Accuracy	(3.33%) of the range	
Adjustment	Zero adjustment	

Qty:

Item No: 1.10 Item Name: Group of Rods

Component & Specification		Notes
Material	Aluminum, copper, glass, iron, plastic, wood, graphite.	
Length	(300)mm. approx.	
Diameter	(12)mm approx.	

Qty:

Item No: 1.11 Item Name:

Bunsen Burner
Component & Specification

Material	Made of nickel-plated brass.		
Advanced	- Screw adjustable air regulator.		
	- With stopcock to control, gas.		
	Burner tube	(12-14) mm dia.	
	Base	(75) mm dia.	
Length and dia.	Connector	(10) mm o.d approx.	
	Overall height	(150) mm approx.	
Additional accessories		(2) spare needle valve	

Item No: 1.12

Item Name: A group of lamps with their bases

Qty:

Component & Specification

Component & Specification		Notes
Wattage Range	3W - 25W	
Color Temperature	2700K - 5000K	
Base Type	Screw Base / Pin Base	
Durability	shock-resistant designs and shatterproof coatings when available	

Item No: 1.13

Item Name: Pulley System

Qty:

Notes

Component & Specification		
Set of	(3) Systems of non-parallel pulleys Single, double, and triple pulleys.	
Material	Rigid plastic pulleys with aluminum frames	
Hooks	Two suspension hooks at both ends of each frame	
Dimensions	The single (50) mm. dia.	
	The double (50) and (40) mm. dia.	
	The triple (50), (40), and (30) mm. dia.	

Item No:	1.14	Item Name:	C-shape Magnet	Notes
Component & Specification				
Material	Alnico.			
	Very strong.			
	With a keeper.			
Length	About (60) mm			
Thickness	About (10) mm.			
Distance Between Poles	About (20) mm			
Case	Plastic.			

Item No:	1.15	Item Name:	Horse shoe Magnet
Component & Specification			
Material	Alnico, very strong, with keeper		
Poles Gap	(25) mm. approx.		
Length	About (100) mm.		
Section	About (10×15) mm.		

Item No:	1.16	Item Name:	U-shape Magnet	Qty:	
Component & Specification				Notes	
Material	Alnico.				
	Very strong.				
	With a keeper.				
Length	About (60) mm				
Thickness	About (10) mm.				
Distance Between Poles	About (20) mm				
Case	Plastic.				

4/20/2025

Item No: 1.17

Item Name: Bar Magnet

Qty: 4

Component & Specification		Notes
No. Of Magnets	Pair of magnets	
Dimensions	(80×20×10) mm Approx.	
Material	Alnico, and two different colors	
Case	Plastic or wooden.	

Item No: 1.18

Item Name: Inducting current coil

Qty: 4

Component & Specification		Notes
Coil	Cylindrical insulated coil with enough turns.	
Core	Iron core inside the coil with transparent plastic cover.	
Rings	Solid Aluminium ring to be shot up and slit Aluminium ring.	
Indicator	LED for power.	
Switch	On, Off switch gives current one time and cut off to prevent coil overheating.	
Power	(220) AC volts, (50) Hz.	

Item No: 1.19 Item Name:

VAN DE GRAFF GENERATOR

Qty:

Component & Specification				Notes
Dome material Dia.	Removable sphere.			
	Polished aluminium.			
	More than (175) mm dia.			
Belt	Genuine leather.			
Connections	(4) mm earth sockets in dome and base.			
Collecting Combs	Aluminium mesh.			
Voltage Developed	Up to (250) kV.			
Discharge Spherical	Dia.	More than (70) mm dia.		
	Material	Polished Aluminium.		
	Insulating	Mounted on insulating rod.		
	Grounding	With (4) mm socket.		
Spark Length	(60) mm or more.			
Power	(220 - 240) V/ (50) Hz. On/off switch and fuse.			
Set Of Accessories	Faraday's Pail of Aluminium with base			
	Perspex cylinder with suspended.			
	Hollow Metal sphere.			

Technical Committee Signatures:

4/29/2025

	Head of hair.	
	Point discharge.	
	Neon bulb.	
	Two spare belts.	
	Electric tester.	
	Electric whirl.	
	Fuse, comb.	

Item No: 1.20 Item Name: wet and dry bulb thermometer Qty:

Component & Specification

Model Features	Comprises two al-choil thermometer tubes graduated -15 to +50°C mounted in plastic case. One thermometer bulb is covered with a muslin wick connected to a water reservoir which keeps it moist Supplied with hygrometric tables on its face.
Dimension	300 x 110 mm
Material	Glasses
Legend	identification list included both Arabic and English

Item No:

1.21

Item Name:

Thermometer (Alcohol C°)

Qty:

Component & Specification	
Type	Colored alcohol in clear glass.
Scale	From (- 10) to (+50) C°.
Subdivision	(1) C°.
length	About (300) mm.

Item No:

1.22

Item Name:

Demonstration Springs

Qty:

Component & Specification				Notes
Slinky Spring	Material	Anti Rust steel.		
	Diameter	(75) mm approx.		
	Length	(10) cm when closed		
		(80) cm or more when extended.		
Snaky Spring	Material	Anti Rust steel.		
	Diameter	(20) mm approx.		
	Length	(180) cm when not stretched		
		(800) cm or more when stretched		

Item No: 1.23

Item Name:

Ammeter (AC)

Qty:

Component & Specification			Notes
Ranges	(50) mA, (500) mA, (5) A		
Scale	Not less than (80) mm		
Subdivision	About (2 %) of full scale		

Technical Committee Signatures:

LOT (2) Geology

Item No:	2.1	Item Name:	Basic rock collection	Qty:		set
Component & Specification						
Kit component			(10) Numbered /rock Samples; granite, rhyolite, sandstone, limestone, basalt, gabbro, marble, Coquina, chalk & shale.	Notes		
Packing			box made of plastic or wood with Smooth and safe edges			
Purity			All Samples show typical feature.			
size			Size about (7.5 ×10 cm) approx.			
legend & user guide			ID numbers for each sample installed on the samples it selves. The user guide is installed on the box and indicate the number of the sample and its name in both Arabic and English			

Item No:	2.2	Item Name:	Wind direction indicator	Qty:		Each
Component & Specification						
Model Features			Wind direction indicator consists of a horizontal arm or arrow-like pointer that is free to rotate around a vertical axis. with East, West, North, South attached, A stable base or stand to ensure that the wind direction indicator stays upright during use	Notes		
Dimension			A moderate size that is manageable for students to assemble and work with			
Material			unbreakable plastic			
Legend			identification list included both Arabic and English			

Item No:

2.3

Item Name:

streak plates

Qty:

Each

Component & Specification		Notes
Kit component	Includes (10) unglazed white porcelain streak plates, retain the color of the mineral.	
Packing	box made of plastic or wood with Smooth and safe edges	
Purity	All Samples Show Typical Features	
size	2.54cmx5.08cm.	

Item No:

2.4

Item Name:

A mineral set for (color , Streak , cleavage, and Luster)

Qty:

Notes

Kit component	(15) Numbered Samples; Azurite, Malachite, Sulfur, Biotite, Calcite , Gypsum, Muscovite, fluorite limonite, Hematite, Magnetite, Graphite, Pyrite, Galina, quartz. With white streak plate (5 cm x2.5 cm) approx.	
Packing	box made of plastic or wood with Smooth and safe edges	
Purity	All Samples are pure crystalline (based on available Jordanian Resources) show typical set of cleavage for (Gypsum, Calcite, Halite, Biotite, Muscovite, fluorite, Galena)	
size	Size about (5x5 cm.)	

Item No:	2.5	Item Name:	Globe model	Qty:	Each
Component & Specification				Notes	
Features	• Clear Geographical Details: It displays readable details along with vibrant colors that show names of countries as well as oceans, lakes, rivers and other natural wonders that you can easily pinpoint. • This globe model can be rotated is 360 degree around its axis. • Made of strong Plastic, and have strong plastic base.				
Size of each model	60 cm dimmeter , 70cm high.				
legend & user guide	With identification list included a detailed user's guide in both Arabic and English with suitable case.				

Item No: 2.6 Item Name: Plate tectonic models Qty: Each

Component & Specification		Notes
Model Features	The realistically illustrated, Labeled model, showing: Sea floor spreading – convergent & divergent boundaries-Transform fault Volcanism – continental margins mounted on suitable base with vinyl cover (3-part model).	
Dimensions	40x25 x15 cm approx.	
Material	unbreakable plastic or hard wood	
Legend	identification list included both Arabic and English key	

Item No:	2.7	Item Name:	Model of earth Internal structure	Qty:		Each
Component & Specification						
Model Features	Removable parts showing the crust, mantle, lithosphere, and asthenosphere, inner and outer core with moho and Gutenberg discontinuities (the model should show name of all parts).					
Dimension	Minimum Size about 40 cm diameter and 50 cm high.					
Material	unbreakable plastic					
Legend	identification list included both Arabic and English					

Item No:	2.8	Item Name:	Fault Fractures Model Set	Qty:		Each
Component & Specification						
Model Features	Geological demonstrations composed of six separated parts the (2) opposite inclined fault plane & three fractures. Mounted on suitable base. The model showing at least three colorfully painted layers with graven structures fined altogether. The set must show the three types of fault (normal, reverse strike-slip fault).					
Dimensions	size (70 x 30 x 25) cm. approx.					
Material	unbreakable plastic model or hard wood					
Legend	identification list included both Arabic and English					

Notes

Each

الشروط الخاصة لتجهيز مختبرات الفيزياء - علوم الأرض

1- يجب أن تكون الأجهزة المقدمة حديثة.	
2- على الشركة المتقدمة تعبئة Compliance Sheet (جدول مطابقة) بحيث يتم ادراج كلمة مطابق او غير مطابق لكل بند (سطر) من بنود المواصفات والشروط الخاصة. وسوف يعتبر عدم الادراج (فراغ) على أنه غير مطابق لبند المواصفة او الشرط الخاص.	شروط فنية
3- مدة كفاية الصيانة المجانية حسب ما هو محدد بالمواصفات وتشمل اجور الاصلاح وقطع الغيار للأجهزة المخبرية فقط.	
تتم الاحالة على اساس المجموعة (LOT) حسب توزيعات المجموعات بالمواصفات الفنية.	أساس الاحالة
1- الاستلام في مستودع الأجهزة المخبرية / ماركا.	مكان التوريد
(٦٠) يوم من تاريخ توقيع أمر الشراء.	مدة التوريد

Cost & Specifications

الرقم	قسم تكنولوجيا التعليم والمعلومات		المادة	
			unit	Total Qty
علوم أرض				
2.1	مجموعة الصخور الرئيسية (النارية، الرسوبية، المتحولة)	Basic rock collection	set	11
2.2	سهم الرياح الدوار	wind direction indicator	set	11
2.3	لوحة حكاية	streak plates	set	11
2.4	مجموعة المعادن (اللون، الحكاية، الانقسام، البريق	A mineral set for (color, Streak, cl	set	12
2.5	نموذج كرة أرضية	Globe model	each	16
2.6	نموذج يوضح الصفائح التكتونية	Plate Tectonic Model	each	11
2.7	نموذج يوضح أنظمة الأرض	Model of Earth Internal Structure	set	11
2.8	أنظمة الصدوع المختلفة (العادي، العكسي، الجاني)	Fault Fractures Model Set	set	13

[illegible]

وزارة التربية والتعليم
ادارة اللوازم والتزويد
مديرية العطاءات
قسم العطاءات المحلية للتجهيزات

البند رابعا : نموذج الكفالات ونموذج تقديم العرض

سند كفالة دخول عطاء

السادة : وزارة التربية والتعليم
الفرع :
التاريخ : / / ٢٠٢٥
تاريخ الاستحقاق :
رقم الكفالة :

تحية وبعد ،
يكفل البنك فرع
.....
السادة /
بمبلغ (.....) دينار
.....
لمدة (.....)
وذلك ضماناً لدخول العطاء رقم (....-002025001535...)
الخاص بشراء :.....

ويتعهد البنك بتمديد سريان أو بدفع قيمة الكفالة إليكم أو أي جزء منها عند أول مطالبة خطية منكم، وذلك خلال فترة سريانها، علماً بأن أي مطالبة ترد إلى البنك يجب أن تكون في أو قبل موعد استحقاقها، وتصبح الكفالة ملغاة بعد انتهاء مدتها ، ويجب ان لا تقل هذه الكفالة عن ٩٠ يوم

*لا تقبل الوزارة أي شرط يعيق التمديد أو الدفع وكل كفالة تتضمن مثل هذا الشرط لا تقبل .

البنك

وزارة التربية والتعليم
ادارة اللوازم والتزويد
مديرية العطاءات
قسم العطاءات المحلية للتجهيزات

سند كفالة حسن تنفيذ

السادة: ~~الجهة المستفيدة (يتم ذكر اسم الجهة المستفيدة)~~

التاريخ: ____/____/202

تاريخ الاستحقاق: ____/____/202م

رقم الكفالة: (_____)

تحية وبعد،،،

يكفل بنك _____ فرع _____

السادة / المتعهد _____

بمبلغ (_____) دينار فقط (_____)

وذلك ضماناً لحسن تنفيذ قرار الإحالة رقم (_____) الخاصة بالعطاء رقم (_____ 2025001535-00)

المتعلق بتوريد _____

هذه الكفالة غير مشروطة وغير قابلة للنقض وتمدد تلقائياً ولا تلغى الا بكتاب رسمي من وزارة التربية والتعليم، ويتعهد البنك بدفع قيمة الكفالة إليكم أو أي جزء منها عند أول مطالبة خطية من الوزارة، رغم أي معارضة من المكفول

وفي حال تخلف البنك عن دفع قيمة هذه الكفالة أو أي جزء منها الجهة المستفيدة (يتم ذكر اسم الجهة) عند الطلب، فإن البنك يفوض معالي محافظ البنك المركزي بناءً على طلب الجهة المستفيدة (يتم ذكر اسم الجهة) بقيدھا على حسابه الجاري لدى البنك المركزي ولحساب الخزينة.

- لا تقبل أي شرط يعيق التمديد والدفع وكل كفالة تتضمن مثل هذا الشرط لا تقبل.

وزارة التربية والتعليم
ادارة اللوازم والتزويد
مديرية العطاءات
قسم العطاءات المحلية للتجهيزات

نموذج تقديم العرض

معالي وزير التربية والتعليم

بناء على طلب دعوة العطاء رقم (00-2025001535) ووفقا للتعليمات والشروط العامة والخاصة والمواصفات المرفقة بها فاني أقدم عرضي وأوافق على أن أقوم بتوريد كل أو بعض اللوازم المعروضة بالأسعار وشروط التسليم والمواصفات المبينة في هذا العرض. وإنني ألتزم بأن يظل هذا العرض قائما لمدة (٩٠) يوما اعتبارا من تاريخ اغلاق العطاء وإنني أفوض السيد (.....) بتمثيل مؤسستنا في كافة الإجراءات والتبليغات المتعلقة بهذا العرض لدى وزارتك.

المفوض

بالتوقيع

.....

اسم المناقص : (.....)

العنوان : (.....)

ص.ب : (.....)

هاتف : (.....)

الخاتم

ملاحظة : يجب أن يعبأ هذا النموذج بالكامل وأن يربط العرض عند تقديمه الى قسم العطاءات المحلية للتجهيزات – وزارة التربية والتعليم ، والا فللجنة الشراء المختصة اهمال العرض واعتباره كأن لم يكن.